NUMBER 1: JANUARY 1996

Editorial. *Derek W. March* 1
Plane-layered models for the analysis of wave propagation in reservoir environments. *J. M. Carcione* 3
An integral equation for the homogeneous Neumann condition. *P. Furness* 27
A note on the computation of the offset distance XY in the generalized reciprocal method of seismic refraction interpretation. *C Wright* .. 41
Numerical modelling of airborne electromagnetic anomalies originating from low-conductivity 3D bodies. *M. Peltoniemi, R. Bärs and G. Newman*. 55
A new method for geological investigations underwater. *F. Baumgartner* 71
Full frequency-range transient solution for compressional waves in a fluid-saturated viscoacoustic porous medium. *J. M. Carcione and G. Quiroga-Goode*. 99
Rapid least-squares inversion of apparent resistivity pseudosections by a quasi-Newton method. *M. H. Loke and R. D. Barker* 131
High-speed photography of the bubble generated by an airgun. *J. Langhammer and M. Landrø* 153
Comment on 'Sign-change correction for prestack migration of P-S converted wave reflections' by A. H. Balch and C. Erdemir. *O. Selvi* .. 175

NUMBER 2: MARCH 1996

Estimation of effective source signatures from marine VSP data. *K. Hokstad, M. Landrø and R. Mittet*..... 179
Near-surface layer traveltime inversion: a synthetic example. *R. Bloor*... 197
Computation of apparent resistivity profiles from VLF-EM data using linear filtering. *M. Chouteau, P. Zhang and D. Chapellier* 215
Interpretation of slingram conductivity mapping in near-surface geophysics: using a single parameter fitting with 1D model. *R. Guérin, Y. Méhéni, G. Rakotondrasoa and A. Tabbagh* 233
Two field applications of the rotating current EM method. *S.H. Hall* ... 251
Optimum expression for computation of the magnetic field of a homogeneous polyhedral body. *M. Ivan* 279
An iterative method for finding small magnetic objects in the subsurface by linear and non-linear inversion. *M. Mirzaei and J.W. Bredewout* 289
Baysian interference, Gibbs' sampler and uncertainty estimation in geophysical inversion. *M.K. Sen and P.L. Stoffa* 313

NUMBER 3: MAY 1996

The relationship between the first Fresnel zone and the normalized geometrical spreading factor. *J. Sun* 351
Multiple suppression by 2D filtering in the parabolic τ–p domain: a wave-equation-based method. *B. Zhou and S.A. Greenhalgh* 375
Guided seismic waves in layered poroviscoelastic media for continuity logging applications: model studies. *J.O. Parra* 403
Linearized elastic parameter sections. *B. Ursin, B.O. Ekren and E. Tjåland* 427
3D Modelling of the electromagnetic response of geophysical targets using the FDTD method. *P.S. Debroux* 457
Comment on 'The fast Hankel transform' by Adel A. Mohsen and E.A. Hashish. *N.B. Christensen* 469
Comment on 'The fast Hankel transform' by A.A. Mohsen and E.A. Hashish. *L. Rijo* 473
EM Target location *L.-J. Gelius* 479
Discussion on 'An analytical signal approach to the interpretation of total field magnetic anomalies by Shuang Qin. *H.V. Ram Babu* 495
Practical techniques for 3D resistivity surveys and data inversion. *M.H. Loke and R.D. Barker* 499
Velocity sensitivity in transversely isotropic media. *C.H. Chapman and D.E. Mills* 525
On the downward continuation of electromagnetic fields. *J.R. Wait* 551

NUMBER 4: JULY 1996

Seismic inversion through Tabu Search. *R. Vinther and K. Mosegaard* .. 555
Reflection from a deep interface in a strongly heterogeneous layered medium. *P. Lewicki and R. Burridge* 571
Evaluation of transport and storage properties in the soil and groundwater zone from induced polarization measurements. *F.D. Börner, J.R. Schopper and A. Weller* 583
A numerical laboratory for simulation and visualization of seismic wave-fields. *F.J. Serón, J. Badal and F.J. Sabadell* 603
Event-oriented velocity estimation based on prestack data in time or depth domain. *E. Iversen and H. Gjøystdal* 643
A physical model for shear-wave velocity prediction. *S. Xu and R.E. White* 687
Seismic migration and absorbing boundaries with a one-way wave system for heterogeneous media. *N. Dai, A. Vafidis and E.R. Kanasewich* 719

NUMBER 5: SEPTEMBER 1996

Ray tracing based on Fermat's principle in irregular grids. *A.L. Vesnaver* 741
Application of acoustic full wavetrains for the determination of lithology, reservoir and mechanical parameters of formation. *M. Bała and J. Jarzyna* 761
The magnetotelluric response over 2D media with resistivity frequency dispersion. *P. Mauriello, D. Patella and A. Siniscalchi*..... 789
Estimation of multivalued arrivals in 3D models using wavefront construction—Part I. *V. Vinje, E. Iversen, K. Åstebøl and H. Gjøystdal*..... 819
Part II: Tracing and interpolation. *V. Vinje, E. Iversen, K. Åstebøl and H. Gjøystdal*..... 843
Shaliow velocity—depth model imaging by refraction tomography. *I. Belfer and E. Landa*..... 859
Ground radar simulation for archaeological applications. *J.M. Carcione* . 871
A case example of near-surface correction for multicomponent VSPs. *X. Zeng and C. MacBeth*..... 889
Comment on 'An analytic signal approach to the interpretation of total field magnetic anomalies' by Shuang Qin. *B.N.P. Agarwal and R.K. Shaw* . 911
Erratum..... 915

NUMBER 6: NOVEMBER 1996

Foreword. *A. Zerilli* 917
Introduction. *P. Andrieux* 921
A few case histories of subsurface imaging with EMAP as an aid to seismic processing and interpretation. *R.K. Warren*..... 923
Papua New Guinea MT: looking where seismic is blind. *G.M. Hoversten* 935
Electromagnetic mapping of electrical conductivity beneath the Columbia basalts. *H.F. Morrison, Y. Shoham, G.M. Hoversten and C. Torres-Verdín* 963
Transient electromagnetic vs. seismic prospecting – a correspondence principle. *A.T de Hoop* 987
Integrating long-offset transient electromagnetics (LOTEM) with seismics in an exploration environment. *K.-M. Strack and K. Vozoff*..... 997
Structural mapping in basin-and-range-like geology by electromagnetic methods: a powerful aid to seismic. *P.-Y. Galibert, R. Guerin and P. Andrieux* 1019
Advances in the combined interpretation of seismics with magnetotellurics. *Z. Nagy* 1041